

Tekninen tietolehti :

# **GENERAL PURPOSE BUCKET**

---



## **Benefits**

- General purpose attachment for a daily use.
- Basic attachment for loading and unloading operations.
- Robust and easy to use this bucket meets the needs of very different work fields.
- Ideal bucket for handling bulk materials: sand & gravel, earth, broken glass etc.


## **Technical characteristics**

- Wide range of bucket capacity from 730 L to 1000 L.
- Recovery bucket suitable for handling materials with a density  $\leq 2,1$ .
- Reinforced structure (base, blade, sides).
- Optional "LDR" 500 HB bolt-on wear plate.
- Bucket to be used on machines equipped with an integrated side shift carriage (TSDL).

Capacities	CBR 600 / 1500	CBR 730 / 1850	CBR 780 / 1950	CBR 850 / 2100	CBR 900 / 2250	CBR 1000 / 2450	CBR 2000 / 2500 LDR MHT
Heaped Capacity (l)	583	735	778	843	904	990	-
Struck capacity (l)	484	600	663	685	736	804	-
<b>Paino ja mitat</b>							
Leveys (mm)	1500	1850	1950	2100	2250	2450	2482
Pituus ilman haarukoita (mm)	845	815	815	838	815	815	1418
Paino (kg)	274	318	328	358	360	381	926
<b>Working Parameters</b>							
Machine Equipment	No predisposition required	No predisposition required	No predisposition required	No predisposition required	No predisposition required	No predisposition required	-
<b>Other Data for Attachments</b>							
Bolted wearplate (LDR)	Not Standard	Not Standard	Not Standard	Not Standard	Not Standard	Not Standard	-
Wear plate hardness	500	500	500	500	500	500	-

Machines compatibility	CBR 600 / 1500	CBR 730 / 1850	CBR 780 / 1950	CBR 850 / 2100	CBR 900 / 2250	CBR 1000 / 2450	CBR 2000 / 2500 LDR MHT
Reference number	570614	571831	570613	653047	653749	654716	-
Reference number bolted wearplate (LDR)	52584881	52000369	-	-	-	52000370	-
Skid Steer Carriage reference	52000783	-	-	-	-	-	-
MLT 420 - 60 H	X	-	-	-	-	-	-
MLT 625 - 75 H	-	X	-	-	-	-	-
MLT 630-105 ST4	-	-	-	X	X	-	-
MLT 630-105 V CP ST4	-	-	-	X	X	-	-
MLT 630-105 V ST4	-	-	-	X	X	-	-
MLT-X 625 - 75 H	-	X	-	-	-	-	-
MLT-X 735 T LSU	-	-	X	-	X	-	-
MT 420 H	X	-	-	-	-	-	-
MT 625 H	-	X	-	-	-	-	-
MT 625 HA	-	X	-	-	-	-	-
MT 933 Easy	-	-	-	-	X	-	-
MT 1033 easy	-	-	-	-	X	-	-
MT 1135	-	-	-	-	X	-	-
MT 1135 H easy ST5	-	-	-	-	X	-	-
MT 1135 HA Easy ST5	-	-	-	-	X	-	-
MT 1135 easy ST5	-	-	-	-	X	-	-
MT 1440	-	-	X	-	X	-	-
MT 1440 A	-	-	X	-	X	-	-
MT 1440 HA	-	-	X	-	X	-	-
MT 1840	-	-	-	-	X	-	-
MT 1840 A	-	-	-	-	X	-	-
MT 1840 HA	-	-	-	-	X	-	-
MT-X 625 H	-	X	-	-	-	-	-
MT-X 1033	-	-	-	-	X	-	-
MT-X 1440	-	-	X	-	X	-	-
MT-X 1440 A	-	-	X	-	X	-	-
MT-X 1840	-	-	-	-	X	-	-
MT-X 1840 A	-	-	-	-	X	-	-
Reference number E-RECO	-	-	-	-	921281	921282	52000532
MHT 10130	-	-	-	-	-	-	X
MHT 10180	-	-	-	-	-	-	X
MHT 10230	-	-	-	-	-	-	X
MHT-X 10130	-	-	-	-	-	-	X
MHT-X 10180	-	-	-	-	-	-	X
MHT-X 10230	-	-	-	-	-	-	X
MRT 2150 Privilege Plus	-	-	-	-	X	-	-
MRT 2470 Privilege Plus	-	-	-	-	X	-	-
MRT 2550 Privilege Plus	-	-	-	-	X	-	-
MRT 3050 Privilege Plus	-	-	-	-	X	-	-
MRT-X 2150 Privilege Plus	-	-	-	-	X	-	-
MRT-X 2470 Privilege Plus	-	-	-	-	X	-	-
MRT-X 2550 Privilege Plus	-	-	-	-	X	-	-
MRT-X 3050 Privilege Plus	-	-	-	-	X	-	-
Reference number E-RECO 2	-	-	-	-	925903	925904	-
MRT 1640 Easy T4 S2 360°	-	-	-	-	X	-	-

Machines compatibility	CBR 600 / 1500	CBR 730 / 1850	CBR 780 / 1950	CBR 850 / 2100	CBR 900 / 2250	CBR 1000 / 2450	CBR 2000 / 2500 LDR MHT
MRT 1840 Easy T4 S2 360°	-	-	-	-	X	-	-
MRT 1840 Easy T4 S2 400°	-	-	-	-	X	-	-
MRT 2145 Easy T4 S2 360°	-	-	-	-	X	-	-
MRT 2145 Easy T4 S2 400°	-	-	-	-	X	-	-
MRT 2545 Easy T4 S2 360°	-	-	-	-	X	-	-
MRT 2545 Easy T4 S2 400°	-	-	-	-	X	-	-
MRT-X 1440 Easy 400°	-	-	-	-	X	-	-
MRT-X 1640 Easy 360°	-	-	-	-	X	-	-
MRT-X 1640 Easy 400°	-	-	-	-	X	-	-
MRT-X 1840 Easy 360°	-	-	-	-	X	-	-
MRT-X 1840 Easy 400°	-	-	-	-	X	-	-
MRT-X 2545 Easy 360°	-	-	-	-	X	-	-
MRT-X 2545 Easy 400°	-	-	-	-	X	-	-



Siège Social  
430 rue de l'Aubinière - 44150 Ancenis Cedex - France  
Tel: +33(0)2 40 09 10 11 - Fax: +33 (0)2 40 09 10 97  
[www.manitou.com](http://www.manitou.com)



Tässä julkaisussa esitetään kuvaus Manitou-tuotteiden versioista ja kokoonpanomahdollisuuksista, jotka voivat poiketa varustelusta riippuen. Tässä esitteessä esiteltyt varustelut voivat olla versiosta riippuen saatavilla vakiovarusteluna tai lisävarusteina tai eivät ollenkaan. Manitou pidättää oikeuden muuttaa kuvattuja ja esitettyjä teknisiä tietoja milloin tahansa ilman ennakoilmoitusta. Esitetyt tekniset tiedot eivät sido valmistajaa. Lisätietoja saat ottamalla yhteyttä Manitou-jälleenmyyjääsi. Asiakirja ei muodosta sopimusta. Tuotekuvaukset voi poiketa itse tuotteista. Teknisten tietojen luettelo ei ole kattava. Logot ja yhtiön visuaalinen ilme ovat Manitous omaisuutta, eikä niitä saa käyttää ilman lupaa. Kaikki oikeudet pidätetään. Tämän esitteen sisältämät valokuvat ja kaaviot annetaan ainoastaan tiedoksi.  
MANITOU BF SA - Osakeyhtiö, jolla on hallitus - Osakepääoma: 39 668 399 euroa - 857 802 508 RCS Nantes