

Technical sheet :

HYDRAULIC WINCH



Benefits


- Turns your telehandler into a crane.
- Extremely fast implementation on the MANITOU carriage.
- Easy steering from the cab or with the machine's remote control (optional).
- Fast and accurate movements.

Technical characteristics

- Hydraulic motor + end of cable automatic movement stop.
- Oil immersed negative break.
- Double or quadruple line pull (according to type).
- Homologated swivel self locking hook.
- Winch storage stand with sleeves for fork handling.
- Note: dimensions below are given for winch placed on its stands.

Capacities		Winch 3T	Winch 3T MRT 3255	Winch 3T TD	Winch 4T	Winch 5T	Winch 7.2T
Max. outreach (mm)	r1	519	515	689	541	541	238
Working height (mm)	h21	24000	33000	46000	24000	24000	36000
Capacity (kg)		3000	3000	3000	4000	5000	7200
Weight and dimensions							
Overall height (mm)	h17	1869	1869	1869	1869	1869	2408
Width (mm)		1080	1080	1080	1080	1080	1223
Depth (mm)	p5	763	763	839	838	838	638
Overall weight (kg)		395	405	480	510	510	860
Cable length (mm)		49000	70000	48000	51000	51000	76
Cable loop		1	1	Direct	1	1	1
Working Parameters							
Machine Equipment		Hydraulic line	Hydraulic line	Hydraulic line	Hydraulic line	Hydraulic line	Hydraulic line
Working height/open attachment (mm)		24000	24000	46000	24000	24000	36000
Hook Speed (m/mn)		48	24	48	22	22	19
Hydraulic system		false	false	false	false	false	false
Machines compatibility		Winch 3T	Winch 3T MRT 3255	Winch 3T TD	Winch 4T	Winch 5T	Winch 7.2T
Reference number		885236	-	-	-	-	-
MT 1135		X	-	-	-	-	-
MT 1135 H easy ST5		X	-	-	-	-	-
MT 1135 HA Easy		X	-	-	-	-	-
MT 1135 easy		X	-	-	-	-	-
MT 1335		X	-	-	-	-	-
MT 1335 H easy		X	-	-	-	-	-
MT 1335 HA easy		X	-	-	-	-	-
MT 1335 easy		X	-	-	-	-	-
MT 1440		X	-	-	-	-	-
MT 1440 A		X	-	-	-	-	-
MT 1440 HA		X	-	-	-	-	-
MT 1840		X	-	-	-	-	-
MT 1840 A		X	-	-	-	-	-
MT 1840 HA		X	-	-	-	-	-
MT 1840 easy		X	-	-	-	-	-
MT-X 1440		X	-	-	-	-	-
MT-X 1440 A		X	-	-	-	-	-
MT-X 1840		X	-	-	-	-	-
MT-X 1840 A		X	-	-	-	-	-
Reference number E-RECO		-	939393	939111	921338	921341	934500
MRT 1440 Easy T4 S2 400°		X	-	-	-	-	-
MRT 1640 Easy T4 S2 360°		X	-	X	X	-	-
MRT 1840 Easy T4 S2 360°		X	-	X	X	-	-
MRT 1840 Easy T4 S2 400°		X	-	X	X	-	-
MRT 2145 Easy T4 S2 360°		X	-	X	X	X	-
MRT 2145 Easy T4 S2 400°		X	-	X	X	X	-
MRT 2150 Privilege Plus		X	-	-	X	X	-
MRT 2470 Privilege Plus		X	-	-	-	X	X
MRT 2545 Easy 3B S2 360°		-	-	-	-	X	-
MRT 2545 Easy T4 S2 360°		X	-	X	X	X	-
MRT 2545 Easy T4 S2 400°		X	-	X	X	-	-
MRT 2550 Privilege Plus		X	-	-	X	X	-
MRT 3050 Privilege Plus		-	X	X	-	-	-
MRT 3255 Privilege Plus		-	X	X	-	-	-
MRT-X 1440 Easy 400°		-	-	X	X	-	-
MRT-X 1640 Easy 360°		X	-	X	X	-	-
MRT-X 1640 Easy 400°		X	-	X	X	-	-
MRT-X 1840 Easy 360°		X	-	X	X	-	-
MRT-X 1840 Easy 400°		X	-	X	X	-	-
MRT-X 2150 Privilege Plus		X	-	-	X	X	-
MRT-X 2470 Privilege Plus		X	-	-	-	X	X
MRT-X 2545 Easy 360°		X	-	X	X	X	-
MRT-X 2545 Easy 400°		X	-	X	X	X	-

Machines compatibility	Winch 3T	Winch 3T MRT 3255	Winch 3T TD	Winch 4T	Winch 5T	Winch 7.2T
MRT-X 2550 Privilege Plus	X	-	-	X	X	-
MRT-X 3050 Privilege Plus	-	X	X	-	-	-
MRT-X 3255 Privilege Plus	-	X	X	-	-	-
Reference number E-RECO 2	-	-	-	-	939109	53027311
MRT 3050 Privilege Plus	-	-	-	-	X	X
MRT 3255 Privilege Plus	-	-	-	-	X	-
MRT-X 3050 Privilege Plus	-	-	-	-	X	X
MRT-X 3255 Privilege Plus	-	-	-	-	X	-



Siège Social
430 rue de l'Aubinière - 44150 Ancenis Cedex - France
Tel: +33(0)2 40 09 10 11 - Fax: +33 (0)2 40 09 10 97
www.manitou.com



This brochure describes versions and configuration options for Manitou products which may be fitted with different equipment. The equipment described in this brochure may be standard, optional or not available depending on version. Manitou reserves the right to change the specifications shown and described at any time and without prior warning. The manufacturer is not liable for the specifications given. For more information, contact your Manitou dealer. Non-contractual document. Product descriptions may differ from actual products. List of specifications is not comprehensive. The logos and visual identity of the company are the property of Manitou and may not be used without authorisation. All rights reserved. The photos and diagrams contained in this brochure are provided for information only.

MANITOU BF SA - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508
RCS Nantes